

TÜV INDIA PRIVATE LIMITED

APPLICATION

Intended certification: (Tick mark as	applicable)
mitoriaca continuationi.	I I I OIX I I I I I I I I I I I I I I I	appiloable

- ☐ Certification according to Ready Mix Concrete Plant Certification (RMC)
- ☐ Certification according to Ready Mix Concrete Plant Certification Scheme 9000+

√CERTIFICATION / RE – CERTIFICATION

(Tick Mark which is applicable)

TÜV INDIA PRIVATE LIMITED 801, Raheja Plaza – I, L.BS Marg, Ghatkopar (W), Mumbai 400 086 Tel: 022-66477000 Fax: 022-6647009 E-Mail: mumbai@tuv-nord.com

Visit us at www.tuv-nord.com/in



This questionnaire is intended as a self-description of your company. The questionnaire helps TÜV India Pvt Ltd to estimate the scope of and resulting effort involved in the performance of a certification

I. General Questions			
Company	:		
Unit	:		
Corporate/ Legal Entity	:		
Address:			
Phone	Tel: +91	Fax: +91	
Head Office Address	:		
Top Management			
Name:	<u>:</u>		
Phone:	:+ 91	Fax; +91	
Email:	:		
Representative			
Name / Dept.	:		
Phone:	+ 91	Fax: 91 22	
Email	:		
Consultancy By	:		
Scope of System	:		
Please attach Organizatio	n Chart		
Please attach simple proc	ess flow chart.		

QF 01a RMC Rev. 02/12.18 Page 2 of 17



II.	Basic Questions					
A.	Raw Materials:					
		on or Certification to				. , ,
NC	ote: Copy of certifica	ate and audit reports	of previous	s CB requir	ed to be pro	vided.
Cert	ification Standard:					
\vdash	RMCPS RMCPS ISO 9000+	Certification Body: Certification Body:			cate Validity Dai icate Validity Da	
	KMCP3 130 9000+	Certification Body.		Cerui	icate validity Da	ite.
If ar	ov of above Cortificate are	under suspension or cancel	led: □ Voc	□ No		
		·	icu. 🔲 res	☐ NO		
Stat	us of application with other	CB, if not yet Certified:				
C	Number of employe	Δς.		Site 1	Site 2	Head Office
		use separate sheet for	additional	Oile I	Oite 2	ricad Office
	ites)	TOT				
	of which working in	- management/administration:				
	· ·	- research/development/design				
		- production				
		- quality, inspection a	and testing:			
		- sales:				
		other, (e.g. Purchase	e, Stores,			
		field staff, laboratory	staff, etc.):			
		- contract Labourers				
Fo	r additional site inforn	nation, submit an anne	X			
Ь	. No. of sites / subsi	diarias, total no	of citos			
D.	. No. or sites / subsi	diaries. total no	of sites			
	A 1.1	/ 1 '1' ' /	N 1 (
	Addresses of site			mployees	0	
	warehouse/ Region Offices /Sale		Regular	Others*	Com	ments
	Offices /Said	es onices				
-						

Please Fill the Information Required in the Annexure

QF 01a RMC Rev. 02/12.18 Page 3 of 17



Annexure

Table 1: General Information of Ready Mixed Concrete Facility (3.1.1 of Section A)

Company Name	
Company Address (Register office) Tel.	
Fax E-mail	
Location of Plant	
Address of Plant Tel. Fax E-mail	
Personnel information • Plant-in- charge/Manager	Name Telephone
QC personnel	Name Telephone
Liaison personnel	Name Telephone
Material Testing Facilities	Location and address Name of lab in-charge Telephone
Statutory Permissions*	 Certificate from Pollution Control Board Yes
	Yes □ No □ N.A. □ Expiry date:
	3. Approval from Local Authorities (Municipal/Corporation/other) Yes No Expiry date:

QF 01a RMC Rev. 02/12.18 Page 4 of 17

^{*} It is essential to attach photocopies of all relevant statutory permissions and certificates.



Table 2: General Information on Concrete Production Facilities (3.1.1 of Section A)

Name of Plant Manufacturer		
Type of Plant		
Plant's Rated capacity, m ³ /hour		
Type of Mixer*	Rotating-drum ty Power mixer Pan type Single shaft	Planetary Mixer Pan-type with agitator
Mixer batch size, m ³		
Storage Capacity		
Cement, tonnes		
Fly ash, tonnes		
Slag, tonnes		
Other cementitous material, tonnes		
Coarse aggregates, tonnes or m ³ 10-mm 20-mm 40-mm		
Fine aggregates, tonnes or m ³ River sand Manufactured sand		
Crusher fines, tonnes or m ³		
Water, litres		
Chemical admixtures, litres		
Plasticiser Superplasticiser Retarder Any other		
Others		
**Brief description of recycling facility, if any		
Number of trucks with rated capacities		
Name of drum and truck manufacturer	1 2 3	
**Additional information on Plant & Trucks, if any		

QF 01a RMC Rev. 02/12.18 Page 5 of 17

^{*} Tick ($\sqrt{}$) in appropriate box. **Add extra sheets if essential



Table 3: General Information on Material Handling (3.1.1 of Section A)

Material	Delivery to F	Plant	Storage		Storage to Weigher	
Cement	Bulk		Silo		Screw conveyor	
	Bags		Godown		Air Slide ; Gravity	
Coarse aggregates	Trucks		Star pattern		Conveyor	
			In-line bins		Skip bucket	
			compartments		Bucket conveyor	_
			Tall/ pocket silos			
Fine aggregates	Trucks		Star pattern		Conveyor Skip bu	cket
			In-line bins		Bucket conveyor	
			compartments			
			Tall/pocket silos			
Fly ash	Bulk		Silo		Screw conveyor	
	Bags		Bins		Manual	
Slag	Bulk		Silo		Screw conveyor	
	Bags		Bins		Manual	
Micro silica	Bags		Silo		Screw conveyor	
			Godown	H	Manual	
Other cementitious	Bags		Silo		Screw conveyor	H
material (specify)			Godown		Manual	
Water	Mun. mains		Underground/over-		Pumping	
	Wells		ground tank		Gravity flow through	
	Ponds			-	pipe network	
Chemical admixtures(Liquid)	Drums		Drums		Dispenser	
aumixiures(Liquiu)	Tankers		Tanks			\Box
Chemical admixture or additives	Bags		Godown		Manual	ш

QF 01a RMC Rev. 02/12.18 Page 6 of 17



	Occasional use	
for supplying	Arrangement	
temperature- controlled concrete, if used	1. Addition of ice slabs in mixing water tank	
	Addition of ice flakes in mixing drum	
	3. Chilling Plant	П
	4. Combination of above (1/2/3)	_

QF 01a RMC Rev. 02/12.18 Page 7 of 17



Table 4: List of Minimum Testing Equipment for Laboratory attached to RMC Facility (3.3 of Section A)

SI. No.	Relevant test and BIS Standard	Name of equipment	Minimum no. of units	Calibration frequency and relevant code	Whether calibration done as specified records ke	and
1.	Slump test (IS 1199-	Slump cone test apparatus with all accessories such as base	2 sets	Yearly	Yes	No
	1959)	plate, tamping rod, etc.		IS 1199		
2. *	Compressive strength of concrete *(IS 516)	Compression Testing Machine with One no. ninimum 2000 kN capacity, onforming to IS 14858 *		Yearly IS 516		
3.	Preparing concrete test specimens (IS 1199)	Cube moulds of size: 150 mm x 150 mm x 150 mm 100 mm x 100 mm x 100 mm 30 nos. Yearly IS 10086				
4.	Sieve analysis of fine and coarse aggregates (IS 2386- Part I)	IS Test sieves for fine and coarse aggregates • 40 mm, 25 mm, 20 mm, 12.5 mm, 10 mm, 6.3mm, 4.75 mm, and lid+pan • 10 mm, 4.75 mm, 2.36 mm, 1.18 mm, 600 µm, 300 µm, 150 µm, 75 µm, 45 µm and lid+pan	one set for coarse and fine agg. each	Yearly IS 2386 – Part I		
5.#	Sampling of aggregates # (IS 2430)	Sieve shaker for fine aggregates #	One	Yearly		
	,	Sample divider for sampling of aggregates #	One	Yearly		
6.	Unit weight of concrete (IS 1199)	Bulk density pot for fresh concrete (10 lit)	one no.	Yearly IS 2386-Part III		
7.	Aggregates Bulk density(IS 2386- Part III)	Bulk density pot for fine (3 or 5 lit) and coarse aggregates (7 or 10 lit)	one no each for coarse & fine agg.	Yearly IS 2386 – Part III		
8.	Silt content of sand	Graduated glass cylinder (500 ml) for determining silt content	one no.	-		
9.	Specific gravity of aggregates	Pyknometer and density basket or Gas Jar for determining specific gravity of aggregates (P.T.O)	one no.	Yearly IS 2386–Part III		

QF 01a RMC Rev. 02/12.18 Page 8 of 17



(Continued fron	n previous page))			
Other	Electronic weighing balance of adequate	One	Yearly	
accessories	capacity with accuracy of 1 g.			
	Laboratory mixer (min 50 lit)	One	Man. specified	
	Electric microwave oven (IS 11332)	One	Yearly IS 6365	
	Concrete compaction equipment's (Table vibrator / needle vibrator, tamping rods)	One	Yearly	
	Curing tank with provision to maintain 27±2° C temperature of water	One	-	
	Shovels, trowels, flexible spatulas, meter, etc.	Sufficient nos.	-	

Notes

- # Alternatively, shaking of sieves done manually and sampling of aggregates done by quartering technique shall be permitted.
- * In case the CTM lab is not available in the lab, concrete cubes shall be tested in the RMC Company/Organization's other lab in the same city, provided due care is taken to transfer the cubes with proper precaution and identification for standard curing for 28 days.

Wherever flexural strength is specified in addition to compressive strength, it is essential have nine nos. of beam moulds of 150x150x700mm size. It is also essential to have the facility of additional attachment for the CTM to carry out this test.

QF 01a RMC Rev. 02/12.18 Page 9 of 17



Table 5: List of Sources of Incoming Approved Materials (4.2 of Section A)

(Valid as on date: DD/MM/YY)

Sr No.	Type of Ingredient	Source and brand name (if any)	Supplier' name and address	Acceptance criteria followed for approval	Remarks

QF 01a RMC Rev. 02/12.18 Page 10 of 17



Table 6-A: Verification and Testing Frequency of Cement, SCMs, Water and Chemical Admixtures (4.3.8 of Section A)

SI.	Material	Verification	Scope	Frequency
No				
1.	Cement	Delivery Documents Manufacturer's test certificate for physical and chemical properties	 Verify that the goods delivered match the purchase order (type, brand name, week of manufacture). In case the supply is by bulker, verify lock seal nos. and ensure that they tally with the nos. on Challan Manufacturer's test certificate traceable to each consignment 	Each consignment
2.	Supplementary Cementitious Materials (SCMs) 1. Fly ash(IS 3812 (Part1) 2. Ground Granulated Blast Furnace Slag (IS 12089 and BS 6699) 3. Microsilica (IS 15388) 4. Metakaolin	Delivery Documents Manufacturer's test certificate on physical and chemical properties Uniformity requirements as per relevant IS codes	Verify that the goods delivered match the purchase order (type, brand name, week of manufacture) Verify that each consignment has a manufacturer's test certificate confirming all physical and chemical properties and performance conform to requirements of relevant IS codes traceable to each consignment. Verify all uniformity requirement tests as per relevant IS code done from NABL- accredited lab at specified frequencies.	All tests on physical and chemical requirements and performance specified by relevant IS code essential before finalizing source All Uniformity tests as per relevant IS code performed once in six months from NABL-accredited lab
3	Water	Delivery documents	Shall be tested for suitability for concrete making as per IS 456-2000 at frequencies specified by IS 4926 for mains and non-mains water.	 For non-mains water: Initially every week for first six weeks and then at 3-monthly internal For mains water: Annual basis once all tests for source are satisfactory
4.	Chemical admixtures	Delivery Documents Manufacturer's test certificate for physical and chemical Properties, uniformity requirements and compatibility	Verify that the goods delivered match the purchase order (type, brand name, week of manufacture) Verify that each consignment has a manufacturer's test certificate confirming all physical and chemical properties, performance, and compatibility with the cement conforming to requirements of IS 9103 and is traceable to each consignment Verify all Uniformity requirement tests as per IS 4926 done from NABL-accredited lab at specified frequencies	All tests specified by IS 9103 essential before finalizing source All Uniformity tests as per IS 4926 performed once in six months from NABL-accredited lab. Compatibility tests shall be conducted whenever there is change in combination of cement and admixture.

QF 01a RMC Rev. 02/12.18 Page 11 of 17



TABLE 6-B: Verification and Testing Frequency for Aggregates (4.3.8 of Section A)

Delivery documents

Delivery document shall be verified to check delivered aggregates match the purchase order and that their source is correct. Visual inspection shall be done to check normal appearance, shape, presence of excessive fines, impurities etc.

Testing frequencies

Aggregates shall be tested at a minimum frequency indicated below. The specified frequencies are in conformity with provisions in IS 4926 or stringent from the same.

SI. No.	Aggregate property/parameter	Type of aggregate	Frequency of Testing	Relevant IS Standard
1.	Grading	Fine aggregate • Uncrushed • Crushed Coarse aggregate • Uncrushed • Crushed	Weekly	IS 383-1970
2.	Particle density Oven dry Saturated surface dry Apparent	Both fine and coarse aggregates	3 monthly	IS 2386 (Part 3)
3.	Water absorption	Both fine and coarse aggregates	3 monthly	IS 2386 (Part 3)
4.	Bulk density Loose Compacted	Both fine and coarse aggregates	6 Monthly	IS 2386 (Part 3)
5.	Particles finer than 75 μm	Fine aggregate- • Uncrushed • Crushed	Weekly	IS 2386 (Part 1)

QF 01a RMC Rev. 02/12.18 Page 12 of 17



6.	Flakiness and Elongation indices	Coarse aggregates	6 monthly	IS 2386 (Part)
7.	Impact value	Coarse aggregate	Yearly or change in source	IS 2386 (Part 4)
8.	Crushing value	Coarse aggregate	Yearly or change in source	IS 2386 (Part 4)
9.	Abrasion value	Coarse aggregate	Yearly or change in source	IS 2386 (Part 4)
10.	10% Fines	Coarse aggregate	Yearly or change in source	IS 2386 (Part 4)
11.	Petrographic examination	Both fine and coarse aggregates	Once in 5 years or change in source	IS 2386 (Part 8)
12.	Alkali-aggregate reactivity	Both fine and coarse aggregates	Yearly or change in source	IS 2386 (Part 7)
13	Soundness	Both fine and coarse aggregates	Yearly or change in source	IS 2386 (Part 5)
14	Chloride content	Both fine and coarse aggregates	Yearly or change in source	
15	Deleterious materials	Both fine and coarse aggregates	Yearly or change in source	IS 2386 (Part 2)

QF 01a RMC Rev. 02/12.18 Page 13 of 17



Table 7: Concrete mix information to be supplied by the purchaser (5.4 of Section A)

Name of RMC Producer:				
Name of Client/Contractor:				
Site:				
Mix code 2				
Grade (Characteristic strength), N/mm ²				
Minimum cement content, kg/m ³ (if specified)				
Mineral additives, kg/m ³ (if specified)	i			
Pulverized fuel ash	ı			
Slag	i			
Silica fume	ı			
Others (mention type)	i			
Maximum free water-binder ratio (if specified)				
Nominal maximum aggregate size, mm				
Cement type and grade (if specified)				
Target workability at plant, (Slump, mm)				
Target workability at site, (Slump, mm)				
Maximum temperature of concrete at the time of placing (if specified)				
Class of sulphate resistance				
(if applicable)	i .			
Exposure condition (if specified)				
Class of finish (if applicable)				
Total SO ₃ in Concrete (if specified)				
Mix application				
Method of placing	i .			
Any other requirements (if applicable) [early strength, workability retention, permeability testing, chloride content restriction, etc.)				
Concrete testing frequency				
Material testing (any non-routine requirement)				
Method of curing to be used				
Quantity (m ³)				

Source: Adapted from IS 4926

QF 01a RMC Rev. 02/12.18 Page 14 of 17



Table 8: Format for Mix Design (5.5 Section A)

- 1. Name of customer
- 2. Mix designed in RMC lab/NABL accredited lab
- 3. Date of mix design
- 4. Mix code, if any
- 5. Details of ingredients
 - a. Grade of concrete:
 - b. Specified workability at pour site:
 - c. Maximum size of aggregate:
 - d. Exposure class of IS 456, if specified :
 - e. Minimum cementitious content, if specified:

QF 01a RMC Rev. 02/12.18 Page 15 of 17



TABLE 9: Production and Control of Final Product (6.4 of Section A)

SI. No.	Name of Material/Test	Frequency of testing	Relevant IS Standard
1.	Fine Aggregate: a) Determination of Moisture content b) Water absorption	a) Moisture content on daily basis; twice in day during monsoonb) Weekly or change in source	IS 2386 (Part 3)
2.	a) Determination of Moisture content b) Water absorption	a) Moisture content on daily basis; twice in day during monsoonb) Weekly or change in source	IS 2386 (Part 3)
3.	Fresh Concrete a) Sampling (IS 4926 procedure) b) Slump test c) Density of fresh concrete d) Placing Temperature of the concrete #	 a) Sampling: At least one sample for every 50 m³ of production or every 50 batches whichever is of greater frequency b) At least one sample for every 50 m³ of production or every 50 batches whichever is of greater frequency c) At least once in a day d) At least one sample for every 50 m³ of production or every 50 batches whichever is of greater frequency 	a) IS 4926b) IS 1199c) IS 1199d) IS 1199
4	Hardened concrete a) Compressive strength* b) Density c) Flexural Strength#	 a) At least one sample for every 50 m³ b) Production or every 50 batches whichever is of greater frequency * c) When asked for 	IS 516

Optional test

QF 01a RMC Rev. 02/12.18 Page 16 of 17

^{*} One sample involves casting of 3 specimens of 150x150x150mm size, to be tested at 28 days. Additionally, samples shall be cast for testing at earlier or later ages (3, 7, 56, 90 days), depending upon the agreement between the producer and the customer.



Table 10: Control on Process Control Equipments and Frequency of Inspection and Calibration (7.3 of Section A)

Items	Check for	Frequency
Cementitious materials	Visual Inspection for weather-tightness and leaks	Weekly
Aggregate stockpile	Visual Inspection for segregation and contamination	Daily
Conveyor belts and rollers	Visual Inspection for wear and alignment	Weekly
Central mixer	Visual Inspection of blades and built up	Daily
Trucks	Visual Inspection of blades and built up	Weekly
Scale calibration for all	1.Mechanical/knife edge systems	Monthly
weighing	2.Electrical/ load cell systems	Monthly
Water meters	Calibration	Monthly
Admixture dispensers	Calibration	Monthly
Gear boxes and oil baths	Oil change	Quarterly

Table 11 Tolerances in Measurement of different Constituent Materials (7.3 of Section A)

Constituent materials	Tolerances (% of the quantity of the constituent material being measured)	Indian Standard
Cement	± 2%	IS 4926:2003
Water	± 3%	IS 4926:2003
Aggregates	± 3%	IS 4926:2003
Mineral admixtures	± 2%	IS 4926:2003
Chemical admixtures	± 3%	IS 4926:2003
Moisture		IS

QF 01a RMC Rev. 02/12.18 Page 17 of 17