

A. 1) Rule the Use of Symbol











Where allowed by the program, this rule is applicable for use a verification mark or GHG program mark or specific text, there shall be no ambiguity in the proposed use of the GHG statement that has been verified.

		On product ¹	On larger boxes, etc. used for transportation of products ²	In pamphlets, etc. for advertisement
Use of Symbols ³	WITHOUT a statement	NOT ALLOWED	NOT ALLOWED	ALLOWED⁵
	WITH a statement ⁴	NOT ALLOWED	ALLOWED⁵	ALLOWED⁵

- 1 This could be a tangible product itself or product in an individual package, container etc.
- 2 This could be over-packaging made of cardboard etc. that can be reasonably considered as not reaching end users.
- 3 Symbol is issued by Verification Body to be used by Client verified to indicate their certified status. This applies to symbols that have a specific form including some basic description of its applicability. A statement in words alone does not constitute a symbol in this sense. Any such wording should be true and not mislead.
- 4 This could be a clear statement that emission per unit of product manufactured (generated or reduced) or similar is verified as being in conformity with (standard)".
- 5 The symbol may then only be used as specified in this document.

A. 2) Rules the colour and font of symbol PT TÜV NORD Indonesia

Technical definitions

Colour					
Designation	TÜV blue	decorative blue	pale blue	stroke blue	signal yellow
Four colour printing as per EURO scale	100% cyan 80% magenta	50 % cyan 20 % magenta	10 % cyan 5 % magenta 5 % black	100 % cyan	50 % magenta 60 % yellow
Full tone in offset or screen printing	HKS 42 or Pantone 294	HKS 44, 55 %	HKS 46, 30 %	HKS 47	HKS 8
Paintwork	RAL 5002 (ultramarine blue)			RAL 5012 (light blue)	RAL 2003 (pastel orange)
R / G / B	51 / 61 / 153	133 / 166 / 255	185 / 200 / 255	0 / 141 / 232	
Hexadecimal	333399	85A6FF	B9C8FF	008DE8	
Plastic foil	MACCaI 9839-12 (gloss) or 8938-13 (matt)				
Greyscale (equivalent to the colour)					
Designation	TÜV grey	decorative grey	pale grey	black	black
Opaqueness/ depth	80 %	35 %	10 %	100 %	
R / G / B	89 / 89 / 89	160 / 160 / 160	210 / 210 / 210	0 / 0 / 0	
Hexadecimal	595959	A0A0A0	D2D2D2	000000	

background colour	font colour	font colour	font colour	font colour	font colour	font colour
white	black	TÜV grey	decorative grey		stroke blue	TÜV blue
pale grey	black	TÜV grey				
decorative grey	black			white		
TÜV grey				white		
black				white		
TÜV blue				white		
decorative blue	black			white		TÜV blue
pale blue	black					TÜV blue
signal yellow	black			white		

(source: TÜV NORD Corporate Design No. TN_AG-01-11/08)

A. 3) Validity and rights of use of the mark and the certificate

- 1 The validity of the certificate is specified on the certificate. The term of the certificate depends on the observation period on which the verification is based, and is typically one year. An annex or addition to a certificate is only valid in conjunction with the valid issued certificate. The same prerequisites apply to the use of the mark.
- 2 The scope of the verification is listed in Indonesian or English verification text. Translation into other languages takes place to the best of our knowledge. In cases of doubt or contradictions, the Indonesian or English version of the certificate is definitive.
- 3 The mark to be used in the individual case depends on the certificate which is issued.
- 4 Approval for use of the mark only applies exclusively to the verified unit (e.g. company, operating facilities, products) of the client, as listed in the certificate. Use of the mark outside the scope of the certificate is not permitted.
- 5 Use of the mark and the certificate is limited to the client, and may not be transferred to third parties or legal successors without the express approval of the verification body. If the client wishes to transfer these, a corresponding application must be submitted. A new audit may be performed if necessary.
- 6 The mark may only be used in the form provided by the verification body. The mark must be easy to read and clearly visible. The client is not authorised to change the certificate and/or the mark. The certificate and the mark must not be used in a misleading manner e.g. for advertising purposes.
- 7 The mark may only be used by the client and only in immediate association with the verified unit (organisation or company name, company logo, product, service etc.).
- 8 The client must ensure that the mark and the certificate are only used in competition in such a way that a statement regarding the verification is made corresponding to the verified area of the client.
- 9 In the context of competition, the client must also make sure to avoid the impression that the verification by the verification body is equivalent to a governmental inspection.
- 10 Changes to the verified unit must be reported immediately to the verification body. The verification body may make maintenance of the certificate conditional on compliance with the underlying verification standards or a supplementary test.
- 11 If a claim is made against the verification body under the principles of product liability as a result of the client using the mark and/or certificate in a manner contrary to the contract, the client shall be obliged to indemnify the verification body against all claims of third parties. The same applies to cases in which a claim is made against the verification body by a third party based on advertising claims or other behaviour on the part of the client.
- 12 The client receives the non-transferable, non-exclusive right, limited to the contractual term, to make use of the mark and the certificate in accordance with the conditions stated above. In the event of suspension or withdrawal of the certificate, neither the certificate nor the mark may be used from the date of suspension or withdrawal onwards (irrespective of contractual term).